


Thank you for choosing Holy Cross Outpatient Rehabilitation

- Please complete the attached paperwork prior to your arrival.
- Ensure you know which facility you are scheduled for.
- Please arrive **30 minutes** prior to your scheduled appointment time to complete registration.
- If you have any questions please contact the facility



- (1) Holy Cross Main Hospital
PT/OT/Speech**
4725 N Federal Highway
954-492-5738 F: 954-776-3096
Corner of Commercial Blvd
 - (2) HCMG Orthopedic Institute
Holy Cross HealthPlex - PT/OT/Hand**
5597 North Dixie Highway
954-267-6390 F: 954-267-6398
Between Commercial & Cypress Creek
 - (2) Women's Health Rehab
Dorothy Mangurian Comprehensive
Women's Center - PT**
1000 NE 56th Street
954-229-8685 F: 954-229-8692
Off Dixie north of Commercial Blvd
 - (3) HCMG Ortho Institute West Boca
PT/OT/Hand**
9970 Central Park Blvd #400A
Boca Raton
561-483-6924 F: 561-852-1997
North of Palmetto
 - (4) West Boca Raton Urgent Care PT**
23071 State Road 7 (441) Boca Raton
561-477-6012 F: 561-482-5963
 - (5) HCMG Rio Vista PT**
1309 S Federal Highway
954-267-6819 F: 954-776-3096
South of Davie Blvd, N of I-595
- Holy Cross Home Health**
954-267-7000
- (1) Zachariah Wellness Pavilion**
954-229-7950

Name: _____ Date: _____

Date of onset of: Injury Problem Surgery _____

State your main reason for therapy: _____

Do you now have, or have you ever had any of the following?

- | | | | |
|------------------------------|--|----------------------------|--|
| High Blood Pressure | <input type="checkbox"/> Yes <input type="checkbox"/> No | Diabetes | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Pacemaker | <input type="checkbox"/> Yes <input type="checkbox"/> No | Seizures | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Dizziness/Fainting..... | <input type="checkbox"/> Yes <input type="checkbox"/> No | Fractures..... | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Osteoporosis..... | <input type="checkbox"/> Yes <input type="checkbox"/> No | Circulatory Problems | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Cancer..... | <input type="checkbox"/> Yes <input type="checkbox"/> No | Recent Weight Change..... | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Bowel/Bladder Problems | <input type="checkbox"/> Yes <input type="checkbox"/> No | Swallowing Problems..... | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Kidney Problems..... | <input type="checkbox"/> Yes <input type="checkbox"/> No | H/O Falls..... | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Stroke/Mini Stroke | <input type="checkbox"/> Yes <input type="checkbox"/> No | Hip Replacement..... | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Shortness of Breath..... | <input type="checkbox"/> Yes <input type="checkbox"/> No | Knee Replacement..... | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Heart Problems | <input type="checkbox"/> Yes <input type="checkbox"/> No | Other | <input type="checkbox"/> Yes <input type="checkbox"/> No |

If **YES** to any of the above, please explain: _____

Please list any other significant medical diagnoses or conditions: _____

Please list any previous surgical, operative or invasive procedures that you have had: _____

Please list any medications including long term, current, over-the-counter or herbal preparations that you are currently taking: _____

Please describe any known adverse and allergic drug reactions: _____

Is this problem related to a motor vehicle accident? Yes No If **YES**, when? _____

Have you had this problem before? Yes No If **YES**, when? _____

If **YES**, did you receive therapy for this problem? Yes No If **YES**, what treatment helped you? _____

Has this problem limited your ability to perform everyday task? Yes No If **YES**, what are they? _____

What are your goals for therapy? Be specific: _____



FORM #300-205
05/07/07 Page 1 of 1

PATIENT LABEL

PAIN SCREEN

1. Do you have pain now? Yes No

2. If no, have you had pain in the last 24 hours or past few days, weeks or months? Yes No

If the answer is **NO** to both questions, **STOP NOW!**

If the answer is YES to either question, continue below:

3. Is the pain you are experiencing of related to your current reason for therapy? Yes No

If the answer to question #3 is **YES**, complete the INITIAL PAIN ASSESSMENT.

INITIAL PAIN ASSESSMENT

	Location 1	Location 2	Location 3	Location 4
Location: Where do you have pain?				
Quality: What does your pain feel like for each location? (throbbing, tender shooting, stabbing, sharp, cramping, burning, aching, heavy, etc.)				
Intensity: On a scale of 0-10 with 0 being "no pain" and 10 being the "worst pain ever," Rate your pain as it feels now.				
Rate your pain at its best: (0-10)				
Rate your pain at its worst: (0-10)				
What is your goal for pain intensity?				
Time/Frequency: When did the pain start?				
Is the pain constant (always there) or intermittent (comes and goes)?				
What positions, situations help alleviate (ease) your pain?				
What activities or situations aggravate or makes your pain worse?				

What alternative therapies have you tried? NONE Cold Heat Massage

Other: _____ What works well? _____ Works poorly? _____

All of this information has been reviewed with the patient and/or family: Yes

Signature of Person Completing Form

Date

Staff Signature

Date

The Activities-specific Balance Confidence (ABC) Scale*

Administration:

The ABC can be self-administered or administered via personal or telephone interview. Larger typeset should be used for self-administration, while an enlarged version of the rating scale on an index card will facilitate in-person interviews. Regardless of method of administration, each respondent should be queried concerning their understanding of instructions, and probed regarding difficulty answering specific items.

Instructions to Participants:

For each of the following, please indicate your level of confidence in doing the activity without losing your balance or becoming unsteady from choosing one of the percentage points on the scale from 0% to 100%. If you do not currently do the activity in question, try and imagine how confident you would be if you had to do the activity. If you normally use a walking aid to do the activity or hold onto someone, rate your confidence as if you were using these supports. If you have any questions about answering any of these items, please ask the administrator.

Instructions for Scoring:

The ABC is an 11-point scale and ratings should consist of whole numbers (0-100) for each item. **Total the ratings (possible range = 0 – 1600) and divide by 16 to get each subject's ABC score.** If a subject qualifies his/her response to items #2, #9, #11, #14 or #15 (different ratings for “up” vs. “down” or “onto” vs. “off”), solicit separate ratings and use the lowest confidence of the two (as this will limit the entire activity, for instance the likelihood of using the stairs.)

- 80% = high level of physical functioning
- 50-80% = moderate level of physical functioning
- < 50% = low level of physical functioning
Myers AM (1998)

- < 67% = older adults at risk for falling; predictive of future fall
LaJoie Y (2004)

1. Powell, LE & Myers AM. The Activities-specific Balance Confidence (ABC) Scale. *J Gerontol Med Sci* 1995; 50(1): M28-34
2. Myers AM, Fletcher PC, Myers AN, Sherk W. Discriminative and evaluative properties of the ABC Scale. *J Gerontol A Biol Sci Med Sci*. 1998;53:M287-M294.
3. Lajoie Y, Gallagher SP. Predicting falls within the elderly community: comparison of postural sway, reaction time, the Berg balance scale and ABC scale for comparing fallers and non-fallers. *Arch Gerontol Geriatr*. 2004;38:11-26.

The Activities-specific Balance Confidence (ABC) Scale

For each of the following activities, please indicate your level of self-confidence by choosing a corresponding number from the following rating scale:

0% 10 20 30 40 50 60 70 80 90 100%

no confidence

completely confident

“How confident are you that you will not lose your balance or become unsteady when you...

1. ...walk around the house? ____%
2. ...walk up or down stairs? ____%
3. ...bend over and pick up a slipper from the front of a closet floor ____%
4. ...reach for a small can off a shelf at eye level? ____%
5. ...stand on your tiptoes and reach for something above your head? ____%
6. ...stand on a chair and reach for something? ____%
7. ...sweep the floor? ____%
8. ...walk outside the house to a car parked in the driveway? ____%
9. ...get into or out of a car? ____%
- 10....walk across a parking lot to the mall? ____%
- 11....walk up or down a ramp? ____%
- 12....walk in a crowded mall where people rapidly walk past you? ____%
- 13....are bumped into by people as you walk through the mall? ____%
- 14.... step onto or off an escalator while you are holding onto a railing? ____%
- 15.... step onto or off an escalator while holding onto parcels such that you cannot hold onto the railing? ____%
- 16....walk outside on icy sidewalks? ____%

The Activities-specific Balance Confidence (ABC) Scale*

Administration:

The ABC can be self-administered or administered via personal or telephone interview. Larger typeset should be used for self-administration, while an enlarged version of the rating scale on an index card will facilitate in-person interviews. Regardless of method of administration, each respondent should be queried concerning their understanding of instructions, and probed regarding difficulty answering specific items.

Instructions to Participants:

For each of the following, please indicate your level of confidence in doing the activity without losing your balance or becoming unsteady from choosing one of the percentage points on the scale from 0% to 100%. If you do not currently do the activity in question, try and imagine how confident you would be if you had to do the activity. If you normally use a walking aid to do the activity or hold onto someone, rate your confidence as it you were using these supports. If you have any questions about answering any of these items, please ask the administrator.

Instructions for Scoring:

The ABC is an 11-point scale and ratings should consist of whole numbers (0-100) for each item. **Total the ratings (possible range = 0 – 1600) and divide by 16 to get each subject's ABC score.** If a subject qualifies his/her response to items #2, #9, #11, #14 or #15 (different ratings for “up” vs. “down” or “onto” vs. “off”), solicit separate ratings and use the lowest confidence of the two (as this will limit the entire activity, for instance the likelihood of using the stairs.)

- 80% = high level of physical functioning
- 50-80% = moderate level of physical functioning
- < 50% = low level of physical functioning
Myers AM (1998)

- < 67% = older adults at risk for falling; predictive of future fall
LaJoie Y (2004)

1. Powell, LE & Myers AM. The Activities-specific Balance Confidence (ABC) Scale. *J Gerontol Med Sci* 1995; 50(1): M28-34
2. Myers AM, Fletcher PC, Myers AN, Sherk W. Discriminative and evaluative properties of the ABC Scale. *J Gerontol A Biol Sci Med Sci*. 1998;53:M287-M294.
3. Lajoie Y, Gallagher SP. Predicting falls within the elderly community: comparison of postural sway, reaction time, the Berg balance scale and ABC scale for comparing fallers and non-fallers. *Arch Gerontol Geriatr*. 2004;38:11-26.