Thank you for choosing Holy Cross Outpatient Rehabilitation

- Please complete the attached paperwork prior to your arrival.
- Ensure you know which facility you are scheduled for.
- Please arrive **30 minutes** prior to your scheduled appointment time to complete registration.
- If you have any questions please contact the facility



(1) Holy Cross Main Hospital PT/OT/Speech
4725 N Federal Highway
954-492-5738 F: 954-776-3096
Corner of Commercial Blvd

(2) HCMG Orthopedic Institute Holy Cross HealthPlex - PT/OT/Hand
5597 North Dixie Highway
954-267-6390 F: 954-267-6398
Between Commercial & Cypress Creek

(2) Women's Health Rehab Dorothy Mangurian Comprehensive Women's Center - PT
1000 NE 56th Street
954-229-8685 F: 954-229-8692
Off Dixie north of Commercial Blvd

(3) HCMG Ortho Institute West Boca PT/OT/Hand
9970 Central Park Blvd #400A
Boca Raton
561-483-6924 F: 561-852-1997
North of Palmetto

(4) West Boca Raton Urgent Care PT
23071 State Road 7 (441) Boca Raton
561-477-6012 F: 561-482-5963

(5) HCMG Rio Vista PT
1309 S Federal Highway
954-267-6819 F: 954-776-3096
South of Davie Blvd, N of I-595

Holy Cross Home Health
954-267-7000

(1) Zachariah Wellness Pavilion
954-229-7950

Name: _____ Date: _____

Date of onset of: ❑ Injury ❑ Problem ❑ Surgery _____

State your main reason for therapy: _____

Do you now have, or have you ever had any of the following?

High Blood Pressure	❑ Yes	❑ No	Diabetes	❑ Yes	❑ No
Pacemaker	❑ Yes	❑ No	Seizures	❑ Yes	❑ No
Dizziness/Fainting	❑ Yes	❑ No	Fractures	❑ Yes	❑ No
Osteoporosis	❑ Yes	❑ No	Circulatory Problems	❑ Yes	❑ No
Cancer	❑ Yes	❑ No	Recent Weight Change	❑ Yes	❑ No
Bowel/Bladder Problems	❑ Yes	❑ No	Swallowing Problems	❑ Yes	❑ No
Kidney Problems	❑ Yes	❑ No	H/O Falls	❑ Yes	❑ No
Stroke/Mini Stroke	❑ Yes	❑ No	Hip Replacement	❑ Yes	❑ No
Shortness of Breath	❑ Yes	❑ No	Knee Replacement	❑ Yes	❑ No
Heart Problems	❑ Yes	❑ No	Other	❑ Yes	❑ No

If **YES** to any of the above, please explain: _____

_____

_____

Please list any other significant medical diagnoses or conditions:_____

_____

_____

Please list any previous surgical, operative or invasive procedures that you have had: _____

_____

_____

Please list any medications including long term, current, over-the-counter or herbal preparations that you are currently taking:

_____

_____

Please describe any known adverse and allergic drug reactions: _____

_____

Is this problem related to a motor vehicle accident? ❑ Yes ❑ No If **YES**, when? _____

Have you had this problem before? ❑ Yes ❑ No If **YES**, when? _____

If YES, did you receive therapy for this problem? ❑ Yes ❑ No If **YES**, what treatment helped you? _____

_____

Has this problem limited your ability to perform everyday task? ❑ Yes ❑ No If **YES**, what are they? _____

_____

What are your goals for therapy? Be specific: _____

_____

PATIENT INFORMATION – REHABILITATION SERVICES

PAIN SCREEN

1. Do you have pain now? ❑ Yes ❑ No

2. If no, have you had pain in the last 24 hours or past few days, weeks or months? ❑ Yes ❑ No

If the answer is **NO** to both questions, **STOP NOW!**

If the answer is YES to either question, continue below:

3. Is the pain you are experiencing of related to your **current reason** for therapy? ❑ Yes ❑ No

If the answer to question #3 is **YES**, complete the INITIAL PAIN ASSESSMENT.

INITIAL PAIN ASSESSMENT	Location 1	Location 2	Location 3	Location 4
Location: Where do you have pain?				
Quality: What does your pain feel like for each location? (throbbing, tender shooting, stabbing, sharp, cramping, burning, aching, heavy, etc.)				
Intensity: On a scale of 0-10 with 0 being "no pain" and 10 being the "worst pain ever," Rate your pain as it feels now.				
Rate your pain at its best: (0-10)				
Rate your pain at its worst: (0-10)				
What is your goal for pain intensity?				
Time/Frequency: When did the pain start?				
Is the pain **constant** (always there) or **intermittent** (comes and goes)?				
What positions, situations help **alleviate** (ease) your pain?				
What activities or situations **aggravate** or makes your pain worse?				

What alternative therapies have you tried? ❑ NONE ❑ Cold ❑ Heat ❑ Massage

❑ Other: _____ What works well? _____ Works poorly? _____

All of this information has been reviewed with the patient and/or family: ❑ Yes

_____ _____

Signature of Person Completing Form Date

_____ _____

Staff Signature Date

Pelvic Floor Distress Inventory – short form 20

PFDI -20 Instructions: Please answer all of the questions in the following survey. These questions will ask you if you have certain bowel, bladder, or pelvic symptoms and, if you do, how much they bother you. Answer these by circling the appropriate number. While answering these questions, please consider your symptoms over the **last 3 months**.

The PFDI-20 has 20 items and 3 scales of your symptoms.
All items use the following format with a response scale from 0 to 4.

Symptoms Present = YES, scale of bother: 1 = not at all
2 = somewhat
3 = moderately
4 = quite a bit

Symptoms Not Present = NO 0 = not present

Pelvic Organ Prolapse Distress Inventory 6 (POPDI-6)

Do you ...		No	Yes
1.	Usually experience pressure in the lower abdomen?	0	1 2 3 4
2.	Usually experience heaviness or dullness in the pelvic area?	0	1 2 3 4
3.	Usually have a bulge or something falling out that you can see or feel in your vaginal area?	0	1 2 3 4
4.	Ever have to push on the vagina or around the rectum to have or complete a bowel movement?	0	1 2 3 4
5.	Usually experience a feeling of incomplete bladder emptying?	0	1 2 3 4
6.	Ever have to push up on a bulge in the vaginal area with your fingers to start or complete urination?	0	1 2 3 4

Colorectal-Anal Distress Inventory 8 (CRAD-8):

Do you ...		No	Yes
7.	Feel you need to strain too hard to have a bowel movement?	0	1 2 3 4
8.	Feel you have not completely emptied your bowels at the end of a bowel movement?	0	1 2 3 4
9.	Usually lose stool beyond your control if your stool is well formed?	0	1 2 3 4
10.	Usually lose stool beyond your control if your stool is loose?	0	1 2 3 4
11.	Usually lose gas from the rectum beyond your control?	0	1 2 3 4
12.	Usually have pain when you pass your stool?	0	1 2 3 4
13.	Experience a strong sense of urgency and have to rush to the bathroom to have a bowel movement?	0	1 2 3 4
14.	Does part of your bowel ever pass through the rectum and bulge outside during or after a bowel movement?	0	1 2 3 4

Urinary Distress Inventory 6 (UDI-6):

Do you ...		No	Yes
15.	Usually experience frequent urination?	0	1 2 3 4
16.	Usually experience urine leakage associated with a feeling of urgency, that is, a strong sensation of needing to go to the bathroom?	0	1 2 3 4
17.	Usually experience urine leakage related to coughing, sneezing, or laughing?	0	1 2 3 4
18.	Usually experience small amounts of urine leakage (that is, drops)?	0	1 2 3 4
19.	Usually experience difficulty emptying your bladder?	0	1 2 3 4
20.	Usually experience *pain* or *discomfort* in the lower abdomen or genital region?	0	1 2 3 4

Scoring the PFDI-20:

Scale Scores: Obtain the mean value of all of the answered items within the corresponding scale (possible value 0 to 4) and then multiply by 25 to obtain the scale score (range 0 to 100). Missing items are dealt with by using the mean from answered items only.

PFSI-20 Summary Score: Add the scores from the 3 scales together to obtain the summary score (range 0 to 300).

Adapted by Herman & Wallace Pelvic Rehabilitation Institute from Barber, M., Walters, M., et al. (2005). "Short forms of two condition-specific quality of life questionnaires for women with pelvic floor disorders (PFDI-20 and PFIQ -7)." American Journal of Obstetrics and Gynecology **193**: 103-113.

Appendix

Pelvic Floor Impact Questionnaire–short form 7

Instructions: Some women find that bladder, bowel, or vaginal symptoms affect their activities, relationships, and feelings. For each question place an **X** in the response that best describes how much your activities, relationships, or feelings have been affected by your bladder, bowel, or vaginal symptoms or conditions **over the last 3 months**. Please make sure you mare an answer in **all 3 columns** for each question.

How do symptoms or conditions relate to the following →→→→ usually affect your ↓	***Bladder or urine***	***Bowel or rectum***	***Vagina or pelvis***
1. Ability to do household chores (cooking, housecleaning, laundry)?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit
2. Ability to do physical activities such as walking, swimming, or other exercise?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit
3. Entertainment activities such as going to a movie or concert?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit
4. Ability to travel by car or bus for a distance greater than 30 minutes away from home?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit
5. Participating in social activities outside your home?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit
6. Emotional health (nervousness, depression, etc)?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit
7. Feeling frustrated?	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit	☐ Not at all ☐ Somewhat ☐ Moderately ☐ Quite a bit

Scoring the PFIQ – 7:
All of the items use the following response scale:
0, Not at all; 1, somewhat; 2, moderately; 3, quite a bit

Scales:
Urinary Impact Questionnaire (UIQ-7): 7 items under column heading "Bladder or urine."
Colorectal-Anal Impact Questionnaire (CRAIQ-7): 7 items under column heading "Bowel or rectum."
Pelvic Organ Prolapse Impact Questionnaire (POPIQ-7): 7 items under column heading "Pelvis or vagina."

Scale scores: Obtain the mean value for all of the answered items within the corresponding scale (possible value 0 to 3) and then multiply by (100/3) to obtain the scale score (range 0 to 100). Missing items are dealt with by using the mean from answered items only.
PFIQ-7 Summary Score: Add the scores from the 3 scales together to obtain the summary score (range 0 to 300).